Building Permit Application

P: 503-682-4960 permits@ci.wilsonville.or.us

For new construction projects Job Trailers require a separate permit.

Type of work		
☐ New construction	Addi	ition/alteration/replacement
Demolition	Other:	
Category of construction		
Multifamily Other:	☐ Commercial/ind	dustrial Accessory building
Job site information and	location	
Job address:		
City/State/ZIP:		
Suite/bldg./apt. no.:	Project name:	
	1. 10,000	
Description of Work		
List all known deferred	submittals associa	ated to this project
Owner		
Name:	F	Phone:
Address:		
City/State/ZIP:		
E-mail:		
Contractor		
Business name:		
Address:		
City/State/ZIP:	P	Phone:
E-mail:	<u> </u>	
CCB lic. no.	E	Exp. Date:
City Business/Metro License	No. E	Exp. Date:
Applicant		
Business name:		
Contact name:		
Address:		
City/State/ZIP:		
City/State/ZIP: Phone:		
Phone: E-mail:	ature	
Phone: E-mail: Owner / Applicant Signa	ature	
Phone: E-mail:	ature	Date:



29799 SW Town Center Loop East Wilsonville, OR 97070

ı		•
		BMITTAL STANDARDS
	https://www.ci.wilsonvill	le.or.us/building/page/electronic-plan-review
	Required Da	ta: Commercial Use
	formed. Indicate the	ed on the value of the work pervalue (rounded to the nearest dollar) terials, labor, overhead, and the profit d on this application.
1	Valuation:	
	Existing building area:	square fee
	New building area:	square fee
	Total number of stories:	
I	Type of Construction	
	Occupancy groups	
	Existing	
	New	
	New impervious area	square feet
1		
1	Fire Sprinkler System?	Yes No
	New Water Meters:	
	Domestic:	
ĺ	Irrigation:	
1		y other permit types reviewed
1		yes, submit an application for
1	the appropriate	• •
	Mechanical Gra	ding Plumbing: Site or Interior
	Fire: Alarm, Sprin	nkler, Fire Service Line
	Submit applicatio	ns to the appropriate Divisions.

Erosion Control, Public Works, and Land Use

Notice

All contractors and subcontractors are required to be licensed with the Oregon Construction Contractors Board under ORS 701 and may be required to be licensed in the jurisdiction in which work is being performed.

Statement of Fact: I certify that the facts and information set forth in this application are true and complete to the best of my knowledge. I understand that any falsification, misrepresentation or omission of fact (whether intentional or not) in this application or any other required document, as well as any misleading statement or omission, may be cause for revocation of permit and/or certificate of occupancy, regardless of how or when discovered.

I acknowledge that work related to this Building Permit Application may be subject to regulations governing the handling, removal and/or disposal of asbestos and/or leadbased paint. _____ (initials)

Building Permit Fees*

* Applicant will receive an invoice for intake fees, fees must be paid within 14 days to be considered complete. Fees not paid in 14 days will be withdrawn and will need to be resubmitted.

SUBJECT PROPERTY:

SANITARY SEWER » CHARGES

COMMERCIAL / INDUSTRIAL DEVELOPMENT TYPE – USE 1

	DEVELOPMENT TYPE	UNIT	RATE
+			
	DEVELOPMENT TYPE DESCRIPTION		

IDENTIFY FIXTURES & CALCULATE # OF EQUIVALENCY FACTOR UNITS (EFUs)

FIXTURE TYPE	NEW FIXTURE(S)	FIXTURE(S) MOVED	FIXTURE(S) CAPPED	EQUIVALENCY FACTOR	EFUs
Bathtub or Shower				2	
Single Sink or Lav				2	
Urinal, Stall, or Wall				5	
Water Closet				6	
Floor Drain/Indirect Waste Receptor, 2"				4	
Floor Drain/Indirect Waste Receptor, 3"				6	
Floor Drain/Indirect Waste Receptor, 4"				8	
Dishwasher, Drain, 2"				3	
Dishwasher, Drain, 3"				4	
Dishwasher, Drain, 4"				6	
Drinking Fountain				1	
Garbage Grinder				4	
Commercial Washer, 0-5 lbs				2	
Washer, 10-15 lbs				6	
Washer, 15-20 lbs				7	
Washer, 20-25 lbs				8	
Washer, 25-35 lbs				9	
Other:					
			TOTAL EQUIVALENCY	FACTOR UNITS (EFUs)	

TOTAL EQUIVALENCY TACTOR OWNS (E.F.

CALCULATE EQUIVALENT DWELLING UNITS (EDUs)

TOTAL EFU COUNT	APPLIED EFU CREDIT	ADJUSTED COUNT	TOTAL EDUs	EDU RATE	SDC ESTIMATE



ADA - Accessibility to Existing Buildings Tenant Improvement Alterations Compliance Report

ORS, Section 447.241 (OSSC, Section 3403.6) states that every project for renovation, alteration, or modification to affected buildings and related facilities that affects or could affect the usability of or access to an area containing a **primary function** shall be made to ensure that, to a maximum extent feasible, the paths of travel to an altered area and the rest rooms, telephones and drinking fountains serving the altered area are readily accessible and useable by individuals with disabilities, unless such alterations are disproportionate to the overall alterations in terms of cost and scope. Disproportionate shall mean all monies expended that exceeds 25% of the value of the work under consideration.

Permit Value \$	25% =:
Applicant:	Permit No.:
In choosing whic	h accessible elements to provide under ORS 447.241, priority shall be given to those
elements that wi	ll provide the greatest access. Elements shall be provided in the following order:
1.	Parking (requires a site plan at application)
2.	An accessible entrance
3.	An accessible rout to the altered area
4.	At least one accessible restroom for each sex or a single unisex restroom
5.	Accessible telephones
6.	When possible, additional accessible elements such as storage and alarms
to spend up to 25 your work, staring	t from what was provided by you on this form. You are required under provisions of this code, is of the value of this work to remove barriers within this structure regardless of the scope of the graph of the parking space. Acceptance of this form and the information contained is not an another the collection information.
Check One	
☐ The altered as	rea is fully compliant. The altered area has been assessed by the applicant to Chapter 11 of the
OSSC and fo	und to be compliant (including compliance with items 1-6 noted above).
☐ The altered ar	rea is not compliant and the following barriers will be removed:
1.	3.
2.	4.

*Statewide Code Interpretation: https://www.oregon.gov/bcd/codes-stand/Documents/interp-14-01-25percentdisproportionate.pdf



Standards for Plans and Drawings

Welcome to Wilsonville! We are excited about your project and look forward to working together. This guideline is intended to provide direction for preparing and submitting electronic plans. Please review these carefully as straying from these guidelines will cause project delays.

General Submittal Requirements

To submit your drawings electronically, you will need to set up an account in the Wilsonville online permitting portal:

https://www.ci.wilsonville.or.us/onlineportal

If you need help setting up an account, you can contact the Building Division at (503) 682-4960 or permits@ci.wilsonville.or.us.

PDF Formatting Requirements

PDFs are the industry standard for electronic plans. Wilsonville only accepts PDF files for plan review. Your PDF files must be properly formatted by following these guidelines. Please read the following instructions carefully. Improperly formatted plans can delay the plan review process for your project.

File Format: PDF

Maximum File Size: 500 MB

Format: Vector preferred

Resolution: 300 dpi

Grouping: Multiple sheets within a single

PDF document

■ Minimum Sheet Size: 11" x 17"

Minimum Font Size: 10 pt

Color: Black on white preferred

Document Preparation

- Retain bookmarks when preparing your plan set PDF's in AutoCad, Adobe, BlueBeam, etc.. These often speed up your plan review.
- All documents must be flattened and fullsize. Flatten out objects and markups (especially when combining PDF's from consultants who may not have flattened their own work). Check that your flattened PDF's have successfully removed ACAD.SHX and other objects in Adobe acrobat's Tools>Comments view.
- Files must be unprotected and unlocked.
- We do not accept Zip files.

Plan Set Requirements

Your plans sets must meet the following requirements:

■ Scalable with the scale clearly specified and graphically depicted. Minimum scale for single-family, duplex, townhouses, small multifamily, and small commercial projects is ¼"=1'. Minimum scale of floor plans, exterior elevations, and building sections for large multifamily and large non-residential projects is 1/8"=1', when unit plans, core plans, and detail plans are provided at a minimum scale of ¼"=1'.

Note: In certain cases, we may allow you to use a smaller scale.

- Clearly denote the paper sheet size.
- Supporting information shall be separate, individual, PDF files.
- Rotate your plans so they are easily viewable in Landscape orientation. Do not mismatch sheet sizes or orientation throughout the set.
- Space for approval stamps should be in the same location on each sheet. The space can be in your title block or in the drawing space, but the lower right corner is preferred.
- The space should be approximately 3" wide and 2" tall.
- For navigation we encourage hyperlinking sheets to an index on the cover page.

For commercial and multi-family projects, registered design professional seals and/or stamps must be included on each page. Ensure expiration dates are valid at the time of submittal and registered in Oregon. FRED ARCH ERED PROFESS REGISTERED TERED PROFE **PROFESSIONAL** LAND SURVEYOR AGINER CITY, STATE OREGON V. 8. 1919 MARCH 10, 1944 REGISTRANT NAME REGISTRANT NAM REGISTRANT NA 00000 EXPIRES:

Document File Naming Guidelines

The file name you give each document must meet certain standards for the upload to be accepted by our system.

- Document file name may not exceed 200 characters, including the period and suffix.
- Do not use any of these invalid characters in a document file name: * : <>? / \ | ~ " # % & * : <>? / \ { | }.
- You cannot upload a document file name more than once on a record.

File Type Naming Requirements

File type names shall clearly denote as to their contents. Examples:

- Plan sets
- Structural Calculations
- Equipment Submittals
- Geotechnical Report
- Energy Compliance Forms
- Project Specifications
- Agreement_Special Inspection

- Agreement_Deferred Submittal
- Traffic Impact Study

Do not label a plan set as Approved Plan Set. This is a reserved name and file type for City Department purposes. Use the description box to provide clarification if needed.

Printing Approved Plan Set for the Jobsite

An approved/stamped paper copy of the full plan set, approved coversheet, and permit must still be maintained at the job site for City inspectors to review. After the plans have been approved by the City and you have paid all relevant permit fees, you will be able to download the approved/stamp plan set and print it.

The approved, printed plan set at the job site must be legible and contrastable.

Related Resources

More detailed application, guidance, checklists, and standards are available online at https://www.ci.wilsonville.or.us/building

Deferred Submittal Agreement



City of Wilsonville Building Division 29799 SW Town Center Loop E Wilsonville, OR 97070 503.682.4960 www.ci.wilsonville.or.us/Building

Oregon Structural Specialty Code allows a permit applicant to defer certain submittals if approved. Wilsonville Building Division Policy BPP 111 provides the procedures for accepting projects with deferred submittals. This form is a deferred submittal agreement for the following project:

Project Name:	Permit Number:
Project Address:	
Applicant:	Phone:
E-Mail:	
Notation shall be included that indicates the deferred submin general conformance to the design of the building. 2. List - The back of this form is a list of deferred submittals, which submittals are requested to be deferred and indicate 3. Fees – In accordance with OAR 918-050, a deferred submittal submitted for review and approval. The fee will be calculated 4. Timelines - Every attempt will be made to provide timely review and approval. The fee will be calculated to provide timely review and approval.	al plan review fee will be added when the deferred submittal is ed based on the valuation of each deferred submittal. views within 5 - 10 business days. t having been reviewed and approved by both the DPRC and the thout a permit. Any person or firm performing work prior to
ACKNOWLEDGMENTS:	
Owner Name (Printed)	Owner Signature
General Contractor Name (Printed)	GC Signature
Design Professional in Responsible Charge (Printed)	DPRC Signature

Project Name:		Permit Number:	
---------------	--	----------------	--

T	Defe	rred Submittal Permit Type	Date	T	Deferred Submittal Permit Type	Date
	1.	Acoustical ceiling suspension system			Pre-cast concrete structural members or panels	
	2.	Auxiliary power systems			20. Prefabricated wall panel	
	3.	Awnings			21. Pre-stressed concrete structural members or panels	
	4.	Bleachers			22. Raised floor systems	
	5.	Carports			23. Stone veneer	
	6.	Curtain wall systems			24. Terra cotta veneer	
	7.	Wooden, steel, or composite floor or roof trusses			25. Works of art	
	8.	Emergency call system				
	9.	Exit Illumination			Deferred Submittal - Trade Permit Type	
	10.	Fire stopping			Fire alarm system	
	11.	Glass guardrails			2. Fire sprinkler	
	12.	Glazing systems			3. HVAC system	
	13.	Intercom system			4. Plumbing system	
	14.	Metal guardrails and handrails			5. Shelving systems and steel storage racks	
	15.	Post-tensioned concrete structural members or panels			6. Signs	
	16.	Skylights			7.	
	17.	Smoke and heat vents			8.	
	18.	Specialty retaining walls			9.	

<u>Valuation</u> - Each deferred submittal item shall include the valuation of the scope at the time it is submitted for review. Valuation is the sum of labor plus materials.

<u>Work without a Permit</u> - Work that is constructed without having been reviewed and approved by both the Design Professional in Responsible Charge and Building staff, will be considered as work performed without a permit. Any person or firm performing work prior to approval shall be subject to the penalties prescribed in Wilsonville Municipal Code.



CITY OF WILSONVILLE

Community Development Department
Building Division
www.ci.wilsonville.or.us/building
29799 SW Town Center Loop E
Wilsonville, OR 97070
Phone: (503) 682-4960

Revised: 04/2024

BUILDING DIVISION COMMERCIAL SPECIAL INSPECTION AGREEMENT

(Special inspection, testing, and structural observation agreement)

(special hispection, resiling, and shocioral observation agreement)				
Permit Number:				
Project Name:				
Project Address:				

This agreement represents the requirements in Wilsonville for special inspection, testing, and structural observation for construction projects which are designed following the Oregon Structural Specialty Code (OSSC) (the International Building Code with Oregon amendments).

BEFORE A PERMIT CAN BE ISSUED:

- The registered Design Professional in Responsible Charge (DPRC) shall fill out this Agreement. A completed copy of this form must be submitted to the City prior to the issuance of a building permit. If changes are made as to who will perform the special inspections a new form shall be submitted for approval.
- The owner or the owner's authorized agent shall complete and sign Sections C and D of this agreement.

STATEMENT OF SPECIAL INSPECTIONS: In addition to this Agreement, a "Statement of Special Inspections" shall be provided by the registered DPRC per OSSC Sections 107.1, 1704.2, 1704.3, and 1704.6. This program statement must include all work that falls within the categories specifically identified in OSSC Chapter 17. This Statement shall be made as part of the approved plans, and be placed in a conspicuous location, such as the first page of the construction plans or the first page of the structural sheets.

SPECIAL INSPECTORS: All special inspectors shall be approved by the Building Department prior to performing any duties. The special inspector shall provide proof of certification as a special inspector for each inspection item. All identified special inspections shall be completed or tested in accordance with the provisions of OSSC Section 1705. The special inspector shall comply with the duties and responsibilities presented in the Oregon Building Officials Association (OBOA) Special Inspection Program and shall observe and document the work for conformance with the approved plans and specifications. All written results of these inspections or tests, including noncompliance lists and final summary letters, shall be provided to the Building Official and the registered design professional in responsible charge.

SPECIAL INPSECTION REPORTS: Special inspections are in addition to, and do not replace, inspections required to be performed by City inspectors. **Before proceeding with the project, City inspectors must approve all work after a report by the special inspector has been provided.** Example: Prior to placing concrete in a footing/foundation, approval by BOTH the special inspector and City inspector must be obtained. Reports shall be timely provided on site and via email to the assigned City inspector.

FINAL REPORT: The final special inspection and structural observation reports shall be submitted to the Building Division **a minimum of two days prior to requesting a final inspection**. A final inspection request will not be granted until the final special inspection and structural observation reports have been deemed acceptable by the Building Division.

A. STRUCTURAL OBSERVATIONS (OSSC § 1704.6) ☐ Structural observations are not required for this project Structural observations shall be provided following the program noted in the structural drawings ☐ The building official has determined that structural observation is required with the following frequency and extent: B. REQUIRED SPECIAL INSPECTIONS AND TESTS (OSSC § 1705) ☐ Special Cases (OSSC § 1705.1.1) ____ ☐ Steel Construction (OSSC § 1705.2) ☐ Concrete Construction (OSSC § 1705.3) ☐ Anchors Cast in Concrete (OSSC Table 1705.3) Anchors Post-installed in Hardened Concrete Members (OSSC Table 1705.3) ☐ Masonry Construction (OSSC § 1705.4) ☐ Wood Construction (OSSC § 1705.5) ☐ Soils (OSSC § 1705.6) ☐ Driven Deep Foundations (OSSC § 1705.7) Cast-in-Place Deep Foundations (OSSC § 1705.8) Helical Pile Foundations (OSSC § 1705.9) ☐ Structural Integrity of Deep Foundation Elements (OSSC § 1705.10) ☐ Fabricated Items (OSSC § 1705.11) ☐ Special Inspections for Wind Resistance (OSSC § 1705.12) ☐ Special Inspections for Seismic Resistance (OSSC § 1705.13) ☐ Structural Steel (OSSC § 1705.13.1) Structural Wood (OSSC § 1705.13.2) Cold-formed Steel Light-frame Construction (OSSC § 1705.13.3) Designated Seismic Systems (OSSC § 1705.13.4) ☐ Architectural Components (OSSC § 1705.13.5) ☐ Plumbing, Mechanical and Electrical Components (OSSC § 1705.13.6) ☐ Storage Racks (OSSC § 1705.13.7) ☐ Seismic Isolation Systems (OSSC § 1705.13.8) Cold-formed Steel Special Bolted Moment Frames (OSSC § 1705.13.9) ☐ Testing for Seismic Resistance (OSSC § 1705.14) ☐ Sprayed Fire-Resistant Materials (OSSC § 1705.15) ☐ Mastic and Intumescent Fire-Resistant Coatings (OSSC § 1705.16) ☐ Exterior Insulation and Finish Systems (EIFS) (OSSC § 1705.17) ☐ Fire-Resistant Penetrations and Joints (OSSC § 1705.18) ☐ Testing for Smoke Control (OSSC § 1705.19) ☐ Sealing of Mass Timber (OSSC § 1705.20) Radon Mitigation Inspections (OSSC § 1705.21)

Revised: 04/2024

C. NAMES OF PARTIES INVOLVED (To be completed by applicant)

the design professionals involved in the project. This information is provided for identification only, signatures are not required. Contractor: **Architect of Record: Engineer of Record:** Geotechnical Engineer: A special inspection agency may be chosen from any of the approved inspector lists accepted by the Building Division. The Building Division recognizes the agency lists published by OBOA and the Washington Association of Building Officials (WABO). If multiple special inspection are required, and multiple agencies will be used, identify each agency and the special inspections they will perform. ACS Testing, Inc. (503) 443-3799 KPFF, Inc. (503) 227-3251 – Inspections Only Carlson Testing, Inc. (503) 684-3460 Krazan & Associates, Inc. (425) 485-5519 Clair Company, Inc. (800) 383-8855 Northwest Geotech, Inc. (503) 682-1880 Professional Service Industries, Inc. (503) 289-1778 FEI Testing & Inspection, Inc. (541) 757-4698 Kleinfelder, Inc. (503) 644-9447 Terracon Consultants, Inc. (503) 659-3281 If the agency you desire to employ is not included within the approved lists, use the "Other" box to indicate the agency or inspector you intend to use. A written request to use this agency or individual shall be submitted to the Building Division for review and approval by the Building Official. Include with this request qualifications and validations demonstrating the agency's or individual's competence to perform inspections for the types of construction in question. Other: Phone Number: D. SIGNATURE (To be completed by applicant) The owner/authorized agent has read the requirements of the Special Inspection and Structural Observation Program, as presented in the program statement prepared by the designer in responsible charge, and Chapter 17 of the OSSC, and agrees to comply with the terms and conditions of the program. Owner/Authorized Agent: _____ E. ACCEPTED FOR THE BUILDING DIVISION Plans Examiner: _____ Date: ____

For any questions pertaining to this agreement, please call (503) 682-4960 #1.

Please complete the following information by listing the general contractor responsible for construction and



Energy Code Compliance

2021 Oregon Energy Efficiency Specialty Code (OEESC) Compliance

Check here if not applicable and no items apply

This form provides the required information to demonstrate compliance with the 2021 Oregon Energy Efficiency Specialty Code (OEESC), Chapter 13 of the 2019 Oregon Structural Specialty Code, and must be provided to the building official at the time of submitting the plan review documents.

BUILDING INFORMATION				
Phone number:				
-				
ZIP:				
port): Number of floors:				
ndard 90.1-2019) results:				
r performance path, submit the energy model report with this form.				
Date:				
Enter the ZERO Code 2.0 Calculator results for projected energy use.				
Estimated building energy consumption: MBtu/yr				
Part III Estimated available renewables for the building				
Enter the ZERO Code 2.0 Calculator results for offsets.				
Total renewable energy to achieve Net Zero: MBtu/yr				
On-site PV generational potential: MBtu/yr				
Remaining off-site renewable energy: MBtu/yr CHECKLIST AND APPLICANT SIGNATURE				
APPLICANT SIGNATURE				
must be submitted with this form.				
Energy model report is attached (if COM <i>check</i> failed)				
2021 OEESC COM <i>check</i> supplement report is attached				
Signature Date				





COM*check* Supplement

2021 Oregon Energy Efficiency Specialty Code Compliance

Include this supplement with the Oregon Energy Efficiency	Specialty Code Compliance Checklist.		
Jurisdiction:			
BUILDING I	NFORMATION		
Applicant name:	Phone number:		
Project name:			
Address / location:			
City:	State: OR ZIP:		
☐ Check here if not applicable and no items apply			
COMF	PLIANCE		
DATA CENTERS			
ASHRAE 90.4-2019 compliance (Sections 6.2.2, 6.5.11	, 8.2.1, and 8.5)		
Mechanical design – Registered design professional	Power design – Registered design professional		
Printed name:	Printed name:		
Registration number:	Registration number:		
Signature: Date	Signature: Date		
SECTION 5: ENVELOPE COMPLIANCE			
5.1.2.3: Unconditioned space with limited radiant heat	ing Check if not applicable		
(See Oregon amendment 6.5.8.3 HVAC)			
Space is identified on plans. Coverage area with limited radiant heating is identified on plans and the lesser of 500 ft ² or 10% of floor area per 6.5.8.3			
☐ Automatic controls for radiant spot heating per 6	.5.8.3.		
Plans and specs.:			
5.4.3.3: Vestibules: additional exception	☐ Check if not applicable		
This project shall furnish a whole-building air leakag	e report in lieu of providing a vestibule per the following:		
\square Building is less than 25,000 ft ² .			
☐ Reported whole-building air leakage testing per S	Section 5.4.3.1.1 is less than 0.30 cfm/ft ² .		
Plans and specifications shall identify building entry door(s) meeting this exception.			
Responsible party to provide test results:	Responsible party to provide test results:		



SECTION 5: ENVELOPE COMPLIANCEcontinued		
Plans and specs.:		
Printed name Signature Registered design professional	Registration number	Date
SECTION 6: HVAC		
6.4.3.5.1: Packaged HVAC Equipment with Electric Heat	☐ Check if not applic	able
Packaged HVAC systems with less than 241,000 Btu/h cooling ca 21,500 Btu/h or greater have heat pump operation for first stage of		apacity of
Plans and specs.:		
6.5.8.3: Radiant Heating for Enclosed Unconditioned Spaces	☐ Check if not applic	able
Overhead radiant heating for occupied areas of the lesser of 500 f	t ² or 10% of floor area	
Automatic control: manual time switch or occupancy sens	sor	
Plans and specs.:		
SECTION 8: POWER		
8.4.2: Receptacle Control Exception	☐ Check if not applic	able
Building is not providing controlled receptacles required per Section	8.4.2. Additional efficiency pr	ovided with the
following method (select one)		
	formance than minimum	
following method (select one) Performance Compliance report showing minimum 5% better per	formance than minimum	
following method (select one) Performance Compliance report showing minimum 5% better per	dix G report included	
following method (select one) Performance Compliance report showing minimum 5% better per Section 11 ECB report included or Append	dix G report included	
following method (select one) Performance Compliance report showing minimum 5% better per Section 11 ECB report included or COMcheck Envelope Compliance report showing minimum 3% p	dix G report included passing or higher	
following method (select one) Performance Compliance report showing minimum 5% better per Section 11 ECB report included or Append COMcheck Envelope Compliance report showing minimum 3% p ASHRAE 90.1-2019 COMcheck forms included	dix G report included passing or higher	
following method (select one) Performance Compliance report showing minimum 5% better per Section 11 ECB report included or Append COMcheck Envelope Compliance report showing minimum 3% p ASHRAE 90.1-2019 COMcheck forms included COMcheck Lighting report showing minimum 5% passing or high	dix G report included passing or higher	
following method (select one) Performance Compliance report showing minimum 5% better per Section 11 ECB report included or Append COMcheck Envelope Compliance report showing minimum 3% p ASHRAE 90.1-2019 COMcheck forms included COMcheck Lighting report showing minimum 5% passing or high	dix G report included passing or higher	Date
following method (select one) Performance Compliance report showing minimum 5% better per Section 11 ECB report included or Append COMcheck Envelope Compliance report showing minimum 3% p ASHRAE 90.1-2019 COMcheck forms included COMcheck Lighting report showing minimum 5% passing or hig ASHRAE 90.1-2019 COMcheck forms included Printed name Signature	dix G report included passing or higher her	
following method (select one) Performance Compliance report showing minimum 5% better per Section 11 ECB report included or Append COMcheck Envelope Compliance report showing minimum 3% p ASHRAE 90.1-2019 COMcheck forms included COMcheck Lighting report showing minimum 5% passing or hig ASHRAE 90.1-2019 COMcheck forms included Printed name Registered design professional	dix G report included passing or higher her	Date
following method (select one) Performance Compliance report showing minimum 5% better per Section 11 ECB report included or Append COMcheck Envelope Compliance report showing minimum 3% p ASHRAE 90.1-2019 COMcheck forms included COMcheck Lighting report showing minimum 5% passing or hig ASHRAE 90.1-2019 COMcheck forms included Printed name Registered design professional SECTION 9: LIGHTING	dix G report included passing or higher her Registration number	Date